

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Product name** FORCH BRAKE CYLINDER PASTE S439 180G & 5G  
**Synonyms** 6540 5261; 6540 5260 - ARTICLE NUMBERS • FORCH BRAKE CYLINDER PASTE S439 180G • FORCH BRAKE CYLINDER PASTE S439 5G

#### 1.2 Uses and uses advised against

**Uses** BRAKE LUBRICANT • GREASE • LUBRICANT

#### 1.3 Details of the supplier of the product

**Supplier name** FORCH AUSTRALIA PTY LTD  
**Address** 2 Forward St, Gnangara, WA, 6077, AUSTRALIA  
**Telephone** (08) 9303 9113  
**Fax** (08) 9303 9114  
**Email** [shop@forch.com.au](mailto:shop@forch.com.au)  
**Website** <https://www.forch.com.au/>

#### 1.4 Emergency telephone numbers

**Emergency** (08) 9303 9113  
**Emergency** 0413 550 330; 0424 135 792

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

| Ingredient         | CAS Number | EC Number | Content   |
|--------------------|------------|-----------|-----------|
| LUBRICATING OIL(S) | -          | -         | >60%      |
| ADDITIVE(S)        | -          | -         | Remainder |

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

## PRODUCT NAME FORCH BRAKE CYLINDER PASTE S439 180G & 5G

**First aid facilities** Eye wash facilities and normal washroom facilities should be available.

### **4.2 Most important symptoms and effects, both acute and delayed**

Adverse effects not expected from this product under normal conditions of use.

### **4.3 Immediate medical attention and special treatment needed**

Treat symptomatically.

---

## **5. FIRE FIGHTING MEASURES**

### **5.1 Extinguishing media**

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

### **5.2 Special hazards arising from the substance or mixture**

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

### **5.3 Advice for firefighters**

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

### **5.4 Hazchem code**

None allocated.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

### **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

### **6.3 Methods of cleaning up**

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

### **6.4 Reference to other sections**

See Sections 8 and 13 for exposure controls and disposal.

---

## **7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation systems.

### **7.3 Specific end uses**

No information provided.

---

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1 Control parameters**

#### **Exposure standards**

| Ingredient       | Reference | TWA |                   | STEL |                   |
|------------------|-----------|-----|-------------------|------|-------------------|
|                  |           | ppm | mg/m <sup>3</sup> | ppm  | mg/m <sup>3</sup> |
| Mineral Oil Mist | SWA [AUS] | --  | 5                 | --   | --                |

## PRODUCT NAME FORCH BRAKE CYLINDER PASTE S439 180G & 5G

### Biological limits

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

### PPE

|                    |  |
|--------------------|--|
| <b>Eye / Face</b>  | Wear splash-proof goggles.   |
| <b>Hands</b>       | Not required under normal conditions of use.   |
| <b>Body</b>        | When using large quantities or where heavy contamination is likely, wear coveralls.          |
| <b>Respiratory</b> | Where an inhalation risk exists, wear a Type A (organic vapour) / Organic vapour respirator. |



---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

|                                  |                      |
|----------------------------------|----------------------|
| <b>Appearance</b>                | BEIGE LIQUID/PASTE   |
| <b>Odour</b>                     | CHARACTERISTIC ODOUR |
| <b>Flammability</b>              | COMBUSTIBLE          |
| <b>Flash point</b>               | 240°C (oc)           |
| <b>Boiling point</b>             | NOT AVAILABLE        |
| <b>Melting point</b>             | 180°C                |
| <b>Evaporation rate</b>          | NOT AVAILABLE        |
| <b>pH</b>                        | NOT AVAILABLE        |
| <b>Vapour density</b>            | NOT AVAILABLE        |
| <b>Relative density</b>          | 1.0                  |
| <b>Solubility (water)</b>        | INSOLUBLE            |
| <b>Vapour pressure</b>           | NOT AVAILABLE        |
| <b>Upper explosion limit</b>     | NOT AVAILABLE        |
| <b>Lower explosion limit</b>     | NOT AVAILABLE        |
| <b>Partition coefficient</b>     | NOT AVAILABLE        |
| <b>Autoignition temperature</b>  | NOT AVAILABLE        |
| <b>Decomposition temperature</b> | NOT AVAILABLE        |
| <b>Viscosity</b>                 | 120 cSt @ 40°C       |
| <b>Explosive properties</b>      | NOT AVAILABLE        |
| <b>Oxidising properties</b>      | NOT AVAILABLE        |
| <b>Odour threshold</b>           | NOT AVAILABLE        |

### 9.2 Other information

|                   |         |
|-------------------|---------|
| <b>Drop point</b> | > 260°C |
|-------------------|---------|

---

## 10. STABILITY AND REACTIVITY

---

### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

### 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), heat and ignition sources.

**10.6 Hazardous decomposition products**

May evolve carbon oxides and hydrocarbons when heated to decomposition.

---

**11. TOXICOLOGICAL INFORMATION**

---

**11.1 Information on toxicological effects**

|                                 |   |
|---------------------------------|---|
| <b>Acute toxicity</b>           | This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated. Ingestion of large amounts may cause gastrointestinal disturbances. |
| <b>Skin</b>                     | Not classified as a skin irritant. Contact may cause temporary mild skin irritation.  |
| <b>Eye</b>                      | Not classified as eye irritant. Contact may result in mild irritation, lacrimation and redness.   |
| <b>Sensitisation</b>            | Not classified as causing skin or respiratory sensitisation.  |
| <b>Mutagenicity</b>             | No evidence of mutagenic effects.   |
| <b>Carcinogenicity</b>          | No evidence of carcinogenic effects.  |
| <b>Reproductive</b>             | No relevant or reliable studies were identified.  |
| <b>STOT - single exposure</b>   | Not classified as causing organ damage from single exposure.  |
| <b>STOT - repeated exposure</b> | Not classified as causing organ damage from repeated exposure.  |
| <b>Aspiration</b>               | This product does not present an aspiration hazard.   |

---

**12. ECOLOGICAL INFORMATION**

---

**12.1 Toxicity**

No information provided.

**12.2 Persistence and degradability**

Not readily degradable.

**12.3 Bioaccumulative potential**

No information provided.

**12.4 Mobility in soil**

No information provided.

**12.5 Other adverse effects**

No information provided.

---

**13. DISPOSAL CONSIDERATIONS**

---

**13.1 Waste treatment methods**

|                       |  |
|-----------------------|--|
| <b>Waste disposal</b> | For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. For large quantities, contact the manufacturer/supplier for additional information. |
| <b>Legislation</b>    | Dispose of in accordance with relevant local legislation.  |

---

**14. TRANSPORT INFORMATION**

---

**NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA**

**PRODUCT NAME FORCH BRAKE CYLINDER PASTE S439 180G & 5G**

|                                    | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|------------------------------------|----------------------|----------------------------|-----------------------------|
| <b>14.1 UN Number</b>              | None allocated.      | None allocated.            | None allocated.             |
| <b>14.2 Proper Shipping Name</b>   | None allocated.      | None allocated.            | None allocated.             |
| <b>14.3 Transport hazard class</b> | None allocated.      | None allocated.            | None allocated.             |
| <b>14.4 Packing Group</b>          | None allocated.      | None allocated.            | None allocated.             |

**14.5 Environmental hazards**

Not a Marine Pollutant.

**14.6 Special precautions for user**

Hazchem code None allocated.

---

**15. REGULATORY INFORMATION**

---

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                           |   |
|---------------------------|---|
| <b>Poison schedule</b>    | A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). |
| <b>Classifications</b>    | Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).                    |
| <b>Inventory listings</b> | <b>AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)</b><br>All components are listed on AIIC, or are exempt.                                      |

---

**16. OTHER INFORMATION**

---

|                               |  |
|-------------------------------|--|
| <b>Additional information</b> | <p><b>PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:</b><br/>The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.</p> <p><b>HEALTH EFFECTS FROM EXPOSURE:</b><br/>It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.</p> |
|-------------------------------|--|

**PRODUCT NAME FORCH BRAKE CYLINDER PASTE S439 180G & 5G****Abbreviations**

|                   |   |
|-------------------|---|
| ACGIH             | American Conference of Governmental Industrial Hygienists                                       |
| CAS #             | Chemical Abstract Service number - used to uniquely identify chemical compounds                 |
| CNS               | Central Nervous System  |
| EC No.            | EC No - European Community Number   |
| EMS               | Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)                   |
| GHS               | Globally Harmonized System  |
| GTEPG             | Group Text Emergency Procedure Guide  |
| IARC              | International Agency for Research on Cancer   |
| LC50              | Lethal Concentration, 50% / Median Lethal Concentration   |
| LD50              | Lethal Dose, 50% / Median Lethal Dose   |
| mg/m <sup>3</sup> | Milligrams per Cubic Metre  |
| OEL               | Occupational Exposure Limit   |
| pH                | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| ppm               | Parts Per Million   |
| STEL              | Short-Term Exposure Limit   |
| STOT-RE           | Specific target organ toxicity (repeated exposure)  |
| STOT-SE           | Specific target organ toxicity (single exposure)  |
| SUSMP             | Standard for the Uniform Scheduling of Medicines and Poisons                                    |
| SWA               | Safe Work Australia   |
| TLV               | Threshold Limit Value   |
| TWA               | Time Weighted Average   |

**Report status**

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared by**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmtglobal.com](mailto:info@rmtglobal.com)  
Web: [www.rmtglobal.com](http://www.rmtglobal.com)

**[ End of SDS ]**