



SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name FORCH OIL SYSTEM FLUSH 'N' CLEAN 300ML

Synonyms 6750 7036 - ARTICLE NUMBER

1.2 Uses and uses advised against

Uses CLEANER • FLUSHING OIL

1.3 Details of the supplier of the product

| Supplier name | FORCH AUSTRALIA PTY LTD |
|---------------|---|
| Address | 2 Forward St, Gnangara, WA, 6077, AUSTRALIA |
| Telephone | (08) 9303 9113 |
| Fax | (08) 9303 9114 |
| Email | shop@forch.com.au |
| Website | https://www.forch.com.au/ |
| | |

1.4 Emergency telephone numbers

Emergency(08) 9303 9113Emergency0413 550 330; 0424 135 792

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Physical Hazards

Flammable Liquids: Category 4

Health Hazards

Aspiration Hazard: Category 1

Environmental Hazards

Aquatic Toxicity (Chronic): Category 3

2.2 GHS Label elements

Signal word

DANGER

Pictograms

Hazard statements

| H227 | Combustible liquid. |
|------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H412 | Harmful to aquatic life with long lasting effects. |

Prevention statements

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|------|--|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

PRODUCT NAME FORCH OIL SYSTEM FLUSH 'N' CLEAN 300ML

Response statements

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. P370 + P378 In case of fire: Use appropriate media to extinguish.

Storage statements

P403 P405

P331

Store in a well-ventilated place. Store locked up.

Disposal statements

P501

Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

| Ingredient | CAS Number | EC Number | Content |
|--|------------|-----------|-------------|
| NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (<0.1% W/W BENZENE) | 64742-48-9 | 265-150-3 | >50% |
| ZINC O,O-DIISOOCTYL DITHIOPHOSPHATE | 28629-66-5 | 249-109-7 | 2.5 to <10% |

4. FIRST AID MEASURES

4.1 Description of first aid measures

| Eye | If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. |
|----------------------|---|
| Inhalation | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. |
| Skin | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor. |
| Ingestion | For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). |
| First aid facilities | Eye wash facilities and safety shower should be available. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.



PRODUCT NAME FORCH OIL SYSTEM FLUSH 'N' CLEAN 300ML

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Eliminate all sources of ignition.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

| Ingredient | Reference | TWA | | STEL | |
|------------------|----------------|-----|-------|------|-------|
| ingredient | | ppm | mg/m³ | ppm | mg/m³ |
| Mineral Oil Mist | SWA [AUS] | | 5 | | |
| Mineral spirits | SWA [Proposed] | 50 | 295 | 100 | 593 |

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

PPE

| Eye / Face | Wear splash-proof goggles. |
|-------------|--|
| Hands | Wear nitrile or neoprene gloves. |
| Body | Wear coveralls. |
| Respiratory | Where an inhalation risk exists, wear a Type A (organic vapour) / Organic vapour respirator. |



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance | GREEN LIQUID |
|---------------|----------------------|
| Odour | CHARACTERISTIC ODOUR |
| Flammability | CLASS C1 COMBUSTIBLE |
| Flash point | > 61°C |
| Boiling point | > 170°C |
| Melting point | < -10°C |
| | |

PRODUCT NAME FORCH OIL SYSTEM FLUSH 'N' CLEAN 300ML

9.1 Information on basic physical and chemical properties

| Evaporation rate | NOT AVAILABLE |
|---------------------------|---------------|
| рН | NOT AVAILABLE |
| Vapour density | NOT AVAILABLE |
| Relative density | 0.84 |
| Solubility (water) | INSOLUBLE |
| Vapour pressure | < 1 kPa |
| Upper explosion limit | 8 % |
| Lower explosion limit | 0.6 % |
| Partition coefficient | NOT AVAILABLE |
| Autoignition temperature | > 250°C |
| Decomposition temperature | NOT AVAILABLE |
| Viscosity | NOT AVAILABLE |
| Explosive properties | NOT AVAILABLE |
| Oxidising properties | NOT AVAILABLE |
| Odour threshold | NOT AVAILABLE |
| | |

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Acute exposure may result in nausea, vomiting, abdominal pain, diarrhoea, dizziness and drowsiness.

Information available for the ingredients:

| Ingredient | | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---|--|-------------------------------|-------------------------------|
| NAPHTHA (PETROLEUM), HYDROTREATED HEAVY (<0.1% W/W BENZENE) | | > 5000 mg/kg (OECD TG 401) | > 2000 mg/kg (OECD TG 402) | > 5610 mg/m3 (OECD TG 403) |
| Skin | Contact may result in drying and defatting of the skin, rash and dermatitis. | | | |
| Еуе | Contact may result in irritation | Contact may result in irritation, lacrimation, pain and redness. | | |
| Sensitisation | Not classified as causing skin or respiratory sensitisation. | | | |
| Mutagenicity | Not classified as a mutagen. | | | |
| Carcinogenicity | Not classified as a carcinogen. | | | |
| Reproductive | Not classified as a reproductive toxin. | | | |
| STOT - single exposure | Over exposure may result in irritation of the nose and throat with coughing, as well as central nervous system (CNS) effects including headache, drowsiness and dizziness. | | | |
| STOT - repeated exposure | Not classified as causing organ damage from repeated exposure. However, repeated exposure to some solvents have been reported to cause adverse effects to the central nervous system (CNS). | | | |
| Aspiration | Aspiration into the lungs may result in chemical pneumonitis and pulmonary oedema. | | | |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

Avoid contamination of drains and waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposalReuse where possible. Alternatively, absorb with sand or similar and dispose of to an approved landfill site.
Contact the manufacturer/supplier for additional information (if required).

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

| | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|--------------------------------|----------------------|----------------------------|-----------------------------|
| 14.1 UN Number | None allocated. | None allocated. | None allocated. |
| 14.2 Proper Shipping Name | None allocated. | None allocated. | None allocated. |
| 14.3 Transport hazard class | None allocated. | None allocated. | None allocated. |
| 14.4 Packing Group | None allocated. | None allocated. | None allocated. |

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison schedule Classified as a Schedule 5 (S5) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7). Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals) All components are listed on AllC, or are exempt. EUROPE:EINECS (European Inventory of Existing Chemical Substances) All components are listed on EINECS, or are exempt.

16. OTHER INFORMATION

Additional information



PRODUCT NAME FORCH OIL SYSTEM FLUSH 'N' CLEAN 300ML

WORKPLACE CONTROLS AND PRACTICES: Unless a less toxic chemical can be substituted for a hazardous substance, ENGINEERING CONTROLS are the most effective way of reducing exposure. The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release. Isolating operations can also reduce exposure. Using respirators or protective equipment is less effective than the controls mentioned above, but is sometimes necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

| Abbreviations | ACGIH | American Conference of Governmental Industrial Hygienists | |
|---------------|---|---|--|
| | CAS # | Chemical Abstract Service number - used to uniquely identify chemical compounds | |
| | CNS | Central Nervous System | |
| | EC No. | EC No - European Community Number | |
| | EMS | Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods) | |
| | GHS | Globally Harmonized System | |
| | GTEPG | Group Text Emergency Procedure Guide | |
| | IARC | International Agency for Research on Cancer | |
| | LC50 | Lethal Concentration, 50% / Median Lethal Concentration | |
| | LD50 | Lethal Dose, 50% / Median Lethal Dose | |
| | mg/m ³ | Milligrams per Cubic Metre | |
| | OEL | Occupational Exposure Limit | |
| | рН | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). | |
| | ppm | Parts Per Million | |
| | STEL | Short-Term Exposure Limit | |
| | STOT-RE | Specific target organ toxicity (repeated exposure) | |
| | STOT-SE | Specific target organ toxicity (single exposure) | |
| | SUSMP | Standard for the Uniform Scheduling of Medicines and Poisons | |
| | SWA | Safe Work Australia | |
| | TLV | Threshold Limit Value | |
| | TWA | Time Weighted Average | |
| Report status | This documer | nt has been compiled by RMT on behalf of the manufacturer, importer or supplier of the | |
| | product and s | erves as their Safety Data Sheet ('SDS'). | |
| | It is based on information concerning the product which has been pro manufacturer, importer or supplier or obtained from third party sources and the current state of knowledge as to the appropriate safety and handling pre- at the time of issue. Further clarification regarding any aspect of the prod directly from the manufacturer, importer or supplier. | | |
| | as taken all due care to include accurate and up-to-date information in this SDS, it does ny warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts any loss, injury or damage (including consequential loss) which may be suffered or ny person as a consequence of their reliance on the information contained in this SDS. | | |
| Prepared by | Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmtglobal.com Web: www.rmtglobal.com | | |

[End of SDS]