



# SAFETY DATA SHEET

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name FORCH PAINTER ACRYLIC WHITE 310ML

Synonyms 6840 8310 - ARTICLE NUMBER

1.2 Uses and uses advised against

Uses ACRYLIC SEALANT ● ACRYLIC SEALER/COATING ● SEALANT

1.3 Details of the supplier of the product

Supplier name FORCH AUSTRALIA PTY LTD

Address 2 Forward St, Gnangara, WA, 6077, AUSTRALIA

 Telephone
 (08) 9303 9113

 Fax
 (08) 9303 9114

 Email
 shop@forch.com.au

 Website
 https://www.forch.com.au/

1.4 Emergency telephone numbers

**Emergency** (08) 9303 9113

**Emergency** 0413 550 330; 0424 135 792

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

## 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

### 2.3 Other hazards

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
INGREDIENTS NOT SPECIFIED	-	-	Remainder
TITANIUM DIOXIDE	13463-67-7	236-675-5	0.1 to <1%
1,2-BENZISOTHIAZOL-3(2H)-ONE	2634-33-5	220-120-9	0.0036 to <0.036%
MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE	55965-84-9	911-418-6	0.00015 to <0.0015%
DI-ISONONYL PHTHALATE (DINP)	28553-12-0	249-079-5	Not Available
DOLOMITE	-	-	Not Available

Ingredient Notes Ingredients (not listed above) are considered trade secret and determined not to be hazardous, below cut off

limits, or do not affect classifications.

# 4. FIRST AID MEASURES



SDS Date: 28 Nov 2024 Revision No: 1

Page 1 of 6

### PRODUCT NAME FORCH PAINTER ACRYLIC WHITE 310ML

## 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

First aid facilities 
Normal washroom facilities should be available.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

## 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

#### 5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

### 5.4 Hazchem code

None allocated.

## 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

# 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate fire protection systems.

Page 2 of 6

### 7.3 Specific end uses

No information provided.



SDS Date: 28 Nov 2024

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

## **Exposure standards**

Ingredient	Reference	TWA		STEL	
ingredient		ppm	mg/m³	ppm	mg/m³
Titanium dioxide (a)	SWA [AUS]		10		
Titanium dioxide (inhalable)	SWA [Proposed]		1		

### **Biological limits**

No biological limit values have been entered for this product.

# 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

**Eye / Face** Wear splash-proof goggles. **Hands** Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

**Respiratory** Not required under normal conditions of use.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

AppearanceWHITE PASTEOdourSLIGHT ODOURFlammabilityNON FLAMMABLEFlash pointNOT RELEVANT

**Boiling point** 100°C **Melting point** 0°C

Evaporation rate NOT AVAILABLE PH NOT AVAILABLE Vapour density NOT AVAILABLE

Relative density 1.57

**DISPERSIBLE** Solubility (water) **NOT AVAILABLE** Vapour pressure **NOT RELEVANT** Upper explosion limit **NOT RELEVANT** Lower explosion limit **Partition coefficient NOT AVAILABLE** Autoignition temperature **NOT AVAILABLE** Decomposition temperature NOT AVAILABLE Viscosity NOT AVAILABLE **Explosive properties NOT AVAILABLE** Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE** 

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

# 10.2 Chemical stability

Stable under recommended conditions of storage.



SDS Date: 28 Nov 2024

### PRODUCT NAME FORCH PAINTER ACRYLIC WHITE 310ML

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid exposure to moisture.

## 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

## 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute toxicity** This product is expected to be of low toxicity. Based on available data, the classification criteria are not met.

# Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	5000 mg/kg (rat)		3.43 - 6.82 mg/L air (rat)
1,2-BENZISOTHIAZOL-3(2H)-ONE	1020 mg/kg (rat)		
MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE	53 mg/kg (rat)		
DI-ISONONYL PHTHALATE (DINP)	> 2000 mg/kg (rat)	> 2000 mg/kg (rat)	> 4.4 mg/L/4hrs (rat)

Skin Not classified as a skin irritant. Prolonged or repeated contact may result in mild irritation, rash and

dermatitis.

Eye Not classified as an eye irritant. Due to product form and nature of use, the potential for exposure is reduced.

However, direct contact may result in mild irritation, lacrimation and conjunctivitis.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.ReproductiveNot classified as a reproductive toxin.

STOT - single Not classified as causing organ damage from single exposure. However, high level exposure may result in

dizziness, nausea and headache.

STOT - repeated

exposure

exposure

Not classified as causing organ damage from repeated exposure.

**Aspiration** Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No information provided.

# 12.2 Persistence and degradability

No information provided.

## 12.3 Bioaccumulative potential

No information provided.

# 12.4 Mobility in soil

No information provided.

# 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS



SDS Date: 28 Nov 2024

### PRODUCT NAME FORCH PAINTER ACRYLIC WHITE 310ML

#### 13.1 Waste treatment methods

Waste disposal For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site.

Contact the manufacturer/supplier for additional information if disposing of large quantities (if required). Prevent contamination of drains and waterways as aquatic life may be threatened and environmental

damage may result.

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant.

#### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

## 16. OTHER INFORMATION

# **Additional information**

SILICONES & THE ENVIRONMENT. If released to soil, polysiloxanes are known to adsorb strongly and it will remain essentially immobile. It will not volatilize to the atmosphere nor will it biodegrade. Polysiloxanes will not undergo hydrolysis in soil except in clay soils which are known to catalyse this reaction. If released to water, it is expected to adsorb strongly to sediment and suspended organic matter. Polysiloxanes will not bioconcentrate in fish and aquatic organisms because it is too big to pass through biological membranes.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

# PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

ChemAlert.

SDS Date: 28 Nov 2024

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

### Prepared by Risk Management Technologies

5 Ventnor Äve, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmtglobal.com Web: www.rmtglobal.com

[ End of SDS ]



SDS Date: 28 Nov 2024